

# WELLCARE EDI TRANSACTION SET

## 837P X12N HEALTH CARE CLAIM PROFESSIONAL "ENCOUNTER" ASC X12N (004010X098A1) Companion Guide

---

### **Inbound 837Professional Encounter Reporting**

## Table of Contents

<b>REVISION HISTORY</b> .....	3
<b>CONTACT ROSTER</b> .....	3
<b>INTRODUCTION</b> .....	4
Reporting States .....	4
<b>GENERAL INFORMATION</b> .....	5
Valid Provider Identifiers .....	5
Electronic Submission .....	5
File Upload .....	5
Submission Frequency .....	5
File Size Requirements .....	5
<b>FTP PROCESS</b> .....	5
Secure File Transfer Protocol .....	5
<b>FILE TEST PROCESS</b> .....	6
Testing .....	6
Production .....	7
<b>WELLCARE VALIDATION PROCESS</b> .....	8
<b>FURTHER ENCOUNTER FIELD DESCRIPTION</b> .....	9
<b>ATTACHMENT A</b> .....	13
Glossary .....	13
<b>ATTACHMENT B</b> .....	15
File Example .....	15
<b>ATTACHMENT C</b> .....	16
997 Interpretation .....	16
Accepted 997 .....	16
Rejected 997 .....	16

## REVISION HISTORY

Date	Rev #	Author	Description
12/01/2005	DRAFT	G. Webb	Initial draft
04/10/2006	Final	G. Webb	Final Review
04/18/2006		"	Added NPI statement (2010AA)

## CONTACT ROSTER

Trading Partners and Providers ; Questions, Concerns, Testing information please email the following

### EDI Coordinator

<a href="mailto:EDICoordinator@wellcare.com">EDICoordinator@wellcare.com</a>	Multi group supported email distribution
--	--

### EDI Testing

<a href="mailto:EDITesting@wellcare.com">EDITesting@wellcare.com</a>	Multi group supported email distribution
--	--

## INTRODUCTION

WellCare Health Plans, Inc. (“WellCare”) has determined the need to use the standard format for Encounter Data reporting from Providers and Trading Partners (TPs). WellCare X12N 837 Professional Claim ‘Encounter Companion Guide’ is intended for use by WellCare Providers and TPs in conjunction with ANSI ASC X12N National Implementation Guide. It has been written to assist those Submitters who will be implementing the X12N 837P Healthcare Claim Professional transaction. This WellCare Companion Guide clarifies the HIPAA-designated standard usage and must be used in conjunction with the following document:

The 837P Healthcare Claim Professional Implementation Guides (IG)

To purchase the IG contact the Washington Publishing company at [www.wpc-edi.com/hipaa/HIPAA\\_40.asp](http://www.wpc-edi.com/hipaa/HIPAA_40.asp) or call (425) 831-4999.

This WellCare Companion Guide contains data clarifications derived from specific business rules that apply exclusively to individual state encounter reporting from WellCare. Field requirements are located in the ASC X12N 837P (004010X098A) Implementation Guide.

Submitters are advised that updates will be made to the Companion Guides on a continual basis to include new revisions. Submitters are encouraged to check our website at [www.wellcare.com](http://www.wellcare.com) periodically for updates to the Companion Guides.

## Reporting States

This Guide covers further clarification to Providers and TPs reporting encounters to WellCare and providing services in the following states;

- Connecticut
- Florida
- Georgia
- Illinois
- Indiana
- Louisiana
- New York

## GENERAL INFORMATION

### Valid Provider Identifiers

Submitters should use the Medicaid/Medicare Provider Number assigned to all providers who have signed Core Provider Agreements with States to provide healthcare services to Medicaid/Medicare recipients for capitation, no-fee and fee-for-service clients. Until the National Provider Identification (NPI) number is implemented, the ANSI ASC X12N 837 format requires the use of the State Medicaid/Medicare Provider Number with the “1D” or “1C” qualifier in the REF01 Segments.

Alternate Provider IDs are not acceptable for use with the ANSI ASC X12N 837 format.

### Electronic Submission

Professional service claims/encounters processed by WellCare after January 01, 2005 must be electronically reported to WellCare as Encounter Data Transactions (EDT) using the ANSI ASC X12N 837 format. Encounters “RP” should be separated from “CH” claims submissions.

### File Upload

EDT files for production should be submitted to the following Secure FTP site <https://edi.wellcare.com/human.aspx>, using secure File Transfer Protocol; See section FTP Process

### Submission Frequency

WellCare requires that data be submitted a minimum of monthly.

### File Size Requirements

The following list outlines the file sizes by transaction type:

Transaction Type	Testing Purposes	Production Purposes
837 formats –claim encounters	50-100 claim encounters	< 5000 claim encounters

## FTP PROCESS

### Secure File Transfer Protocol

MOVEit<sup>®</sup> is WellCare’s preferred file transfer method of transferring electronic transactions over the Internet. It has the FTP option or online web interface.

Secure File Transfer Protocol (SFTP) is specifically designed to handle large files and sensitive data. WellCare utilizes Secure Sockets Layer (SSL) technology, the standard Internet security

and SFTP ensures unreadable data transmissions over the Internet without a proper digital certificate.

- Registered users are assigned a secure mailbox where all reports are posted. Upon enrollment, they will receive a login and password.

In order to send files to WellCare submitters need to have an FTP client that supports AUTH SSL encryption. The AUTH command allows WellCare to specify the authentication mechanism name to be used for securing the FTP session. Sample FTP client examples are:

- WS\_FTP PRO<sup>®</sup> (The commercial version supports automation and scripting)
  - WS\_FTP PRO<sup>®</sup> has instructions on how to connect to a WS\_FTP Server using SSL.
- Core FTP Lite<sup>®</sup> (The free version supports manual transfers)
  - Core FTP Lite<sup>®</sup> has instructions on how to connect to a WS\_FTP Server. Additionally, WellCare can provide setup assistance.

## FILE TEST PROCESS

WellCare will accept test files on a case-by-case basis. Notify the Testing Coordinator of your intent to test and to schedule accordingly.



***IF YOU DO NOT NOTIFY WELLCARE OF YOUR INTENT TO TEST, YOUR ENCOUNTER SUBMISSION MAY BE OVERLOOKED.***

## Testing

1. Create test files in the ANSI ASC X12N 837P format.
  - Files should include all types of provider encounters. (i.e. **837P** for Office and Inpatient Hospital Services;
  - Batch files by 837P type of encounters and group by month.
  - Set Header Loops for Test:
    - Header ISA15 to **'T'**
    - Header REF02 to **'004010X098DA1'** (837P)
    - Header use **'RP'** in Header BHT06 for encounters
2. Name each batch file according to the File Naming Standards listed below:
  - Company Identifier short name (CMPNM)
  - 837TST
  - Date test file is submitted to WellCare (CCYYMMDDHHMM) with last byte equaling file type **P** = professional services  
**Example:** CMPNM\_837TEST\_200509011525**P**
3. Transmit your **TEST** files to the WellCare SFTP site: <https://edi.wellcare.com>
4. Email a copy of the file Upload Response and your file name to the EDI Coordinator

## Production

For Production processing to WellCare, each Provider or TP must submit WellCare Encounter Data ANSI ASC X12N 837P format on a monthly basis, at minimum. Files must have the appropriate PRODUCTION identifiers as listed in the 837P Mapping Documents. ***Always include the Header BHT06 "RP" = Encounter.***

**Naming Standards:** WellCare uses the file name to help track each batch file from the drop off site through the end processing into WellCare's data warehouse.

1. Name each batch file according to the File Naming Standards listed below:
  - Set Header Loops for Production:
    - Header ISA15 to ' P '
    - Header REF02 to ' 004010X098A1 ' (837I)
    - Header use ' RP ' in Header BHT06 for claims
- 1- Name each batch file according to the File Naming Standards listed below:
  - Company Identifier Short Name(CMPNM)
  - 837PROD
  - Date production file is submitted to WellCare (CCYYMMDDHHMM) with last byte equaling file type **P** = professional services
  - **Example:** CMPNM \_837PROD\_200509011525**P**
2. WellCare recommends the use of EDIFECS or CLAREDI for minimum Level integrity testing prior to uploading your production files.
3. Transmit your Production files to WellCare through the SFTP site. See FTP Process section.
4. File Upload Acceptance/Response will be immediate after upload has completed.
5. After the file has passed through WellCare's Enterprise Systems validation process, (includes business edits). The electronic ANSI ASC X12N 997 (Functional Acknowledgement) outlining file rejects will be posted to the SFTP site.
6. If the file is unreadable then a TA1 will be posted to the pickup location.

## WELLCARE VALIDATION PROCESS

When 837P Encounter files are accepted by the WellCare processing system the Encounter Data Edit Program will:

- Process the All Encounter 837P files
- Edit the transactions for content against X12 Standards, WellCare's eligibility history, Medicaid/Medicare id's, valid dates, balancing, and valid standard transaction code sets:
  - Current Procedural Terminology (CPT);
  - Standard Edition International Classification of Diseases (ICD.9.CM);
  - Health Care Financing Administration Comprehensive Procedure Coding System (HCPCS)
- The 997 is generated when the file header and trailer check and passes through the EDI edits. The 997 accepts / rejects each file transmission.  
***See the 837 IG for additional information about the response coding and Addendum C in this Guide for examples.***



## FURTHER ENCOUNTER FIELD DESCRIPTION

Refer to the IG for the initial mapping information the grid below further clarifies additional information WellCare requires. For Situational fields that WellCare requires will be specified as S - R.

### Interchange Control Header:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
	ISA06	Interchange Sender ID	M	1		Unique ID assigned by WellCare. Example: 123456 followed by spaces to complete the 15-digit element
	ISA08	Interchange Receiver ID	M	1		Use 'WELLCARE' <b>Note:</b> Please make sure the Receiver ID is <b>left justified</b> with <b>trailing spaces</b> for a total of 15 characters. Do not use leading ZEROS.

### Functional Group Header:

	GS02	Senders Code	M	1		Use your existing WellCare Submitter ID or the trading partner ID provided during the enrollment process.
	GS03	Receivers Code	M	1		Use WC ID "WELLCARE"

### Transaction Set Header:

05	ST02	Transaction set Control Number	M	1		Submitters can send transactions using the number 0001 in this element and increment from there. ST02 must be unique and identical to SE02.
----	------	--------------------------------	---	---	--	---

### Header:

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
010	BHT03	Originator Application Transaction Identifier	R	1		Unique Transaction ID # assigned by the Submitters System
010	BHT06	Encounter Identifier	R	1		Use value "RP"
015	REF02	Transmission Type Identification	R	1		REF02 Reference ID "004010X098A1"
<b>LOOP ID - 1000A – Submitter Name</b>					<b>1</b>	
020	NM109	Submitter Identifier	S-R			Submitter's "ETIN" i.e., Use the WellCare Submitter ID or 6-digit trading partner ID assigned during the EDI enrollment process.
<b>LOOP ID - 1000B – Receiver Name</b>					<b>1</b>	
020	NM103	Receiver Name	R	1		Use value "WELLCARE HEALTH PLANS, INC" (i.e., WellCare Health Plans of Georgia WellCare Health Plans of New York )
020	NM109	Receiver Primary ID	S-R	1		Use value "WELLCARE"



**Detail:**

Pos	Id	Segment Name	Req	Max Use	Repeat	Notes
<b>LOOP ID - 2000A – Billing/Pay-To Provider Hierarchical Level</b>						<b>≥1</b>
003	PRV01	Billing/Pay-To Provider Specialty Information	S	1		<p><b>Sent to state</b> for submitters reporting in <b>IL, NY, GA</b> Use value “<b>BI</b>” = Billing or “<b>PT</b>” Pay-To Provider. <b>For all other states Note:</b> If the Billing or Pay-to Provider is also the Rendering Provider, and the 2310B loop is not used, the PRV segment is required.</p>
<b>LOOP ID - 2010AA – Billing Provider Name</b>						<b>1</b>
015	NM109	Billing Provider ID	R	1		<p>If No Pay-To Loop (2010AB) submitted (Pay-to Provider is the same entity as the Billing Provider), the loop <b>2010AA must have Tax ID</b> in it. Meaning that <b>NM108</b> must have value “<b>24</b>” and <b>NM109</b> = Provider Tax ID.</p> <p><b>Note:</b> Please send NPI when available, if “<b>XX - NPI</b>” is used, then either the Employer’s Identification Number or the Social Security Number of the provider must be carried in the REF in this loop.</p>
035	REF01	Reference Identification Qualifier	R	8		<p>All States Use value “<b>1D</b>” or “<b>1C</b>” in at least one iteration. <b>Note:</b> <b>NY</b> submitters send second REF loop use value “<b>0B</b>”, <b>IN</b> submitters send second REF loop use value “<b>B3</b>”.</p>
035	REF02	Billing Provider Additional Identifier	R	8		<p><b>Required</b> for submitter in <b>NY</b>, Provider License number</p>
<b>LOOP ID - 2010AB – Pay to Provider’s Name</b>						<b>1</b>
015	NM109	Pay to Provider’s Identifier	S	1		<p>If Pay-To Loop (2010AB) exists and the (Pay-to Provider is a different entity than the Billing Provider), the loop <b>2010AB must have Tax ID</b> in it. Meaning that <b>NM108</b> must have value “<b>24</b>” and <b>NM109</b> = Provider Tax ID.</p>
<b>LOOP ID - 2000B – Subscriber Hierarchical Level</b>						<b>≥1</b>
005	SBR01	Payer Responsibility Sequence Number Code	R	1		<p>Use value “<b>P</b>” if <u>WellCare</u> is the primary payer.</p>
005	SBR09	Claim Filing Indicator Code		1		<p>Value equal to Medicaid or Medicare filing</p>
007	PAT		S			<p><b>Note:</b> Required if the subscriber is the same person as the patient (Loop ID-2000B SBR02=18).</p>
	PAT09	Pregnancy Indicator				<p>Use indicator “<b>Y</b>” if subscriber is pregnant</p>
<b>LOOP ID - 2010BA – Subscriber Name</b>						<b>1</b>



015	<b>NM108</b>	Subscriber Primary Identification code Qualifier	S-R			Use value <b>"MI"</b>
015	<b>NM109</b>	Subscriber Primary Identifier				Subscriber Medicaid/Medicare ID
032	<b>DMG01</b>	Subscriber Demographic Information	S-R	1		Required when Loop ID-2000B, SBR02 = <b>18</b> (self)
035	<b>REF01</b>	Reference Identification Qualifier	S			Use value <b>"IG"</b> (Insurance policy #)
<b>LOOP ID - 2010BB – Payer Name</b>					<b>1</b>	
015	<b>NM108</b>	Identification code Qualifier				Use value <b>"PI"</b>
015	<b>NM109</b>	Identification code				Use value <b>"WELLCARE"</b>
<b>LOOP ID - 2300 – Claim information</b>					<b>100</b>	
130	<b>CLM02</b>	Total claim charge amount	S	1		For encounter transmissions, zero (0) may be a valid amount.
130	<b>CLM05</b>	Place of Service Code	S	1		CLM05 applies to all service lines unless it is over written at the line level.
130	<b>CLM05-3</b>	Claim Frequency Code	R	1		Use value <b>"1"</b> for original encounter record " Use value <b>"7"</b> when submitting corrections and replacing previously submitted encounter records. Use value <b>"8"</b> to void the claim
135	<b>DTP</b>	Initial Treatment Dates	S-R	1		<b>Required</b> for all states
155	<b>PWK</b>	Claim Supplemental Information	S	10		The PWK segment is required if the provider will be sending paper Documentation supporting this claim. The PWK segment should not be used if the information related to the claim is being sent within the 837 ST-SE envelope. LA requires Value <b>"F5"</b> and amount
175	<b>AMT02</b>	Patient Amount Paid	S	1		<b>Sent to state</b> for submitters reporting in <b>GA, LA;</b> Value <b>"G1"</b>
180	<b>REF02</b>	Prior Authorization Number	S	2		<b>Sent to state</b> for submitters reporting in <b>GA, LA;</b> Value <b>"9F"</b>
180	<b>REF02</b>	Referral Number	S	2		
<b>LOOP ID - 2310B – Rendering Provider Name</b>					<b>1</b>	
250	<b>NM1</b>	Rendering Provider Name	S	1		For submitters in the state of <b>IL</b> Rendering Provider is the Billing Provider. (NM109 = Provider Tax ID
255	<b>PRV</b>	Taxonomy	S	1		<b>Rendering Provider Taxonomy code</b>  <b>Sent to state</b> for submitters reporting in <b>CT, IN, LA</b>
271	<b>REF02</b>	Rendering Provider Secondary Identification	S	5		<b>Sent to state</b> for submitters reporting in <b>CT, IN, GA</b> Medicaid/Medicare ID
<b>LOOP ID - 2320 – Other Subscriber Information</b>					<b>S</b>	<b>Send when applicable</b>
290	<b>SBR</b>	Other Subscriber Information	S	1		<b>Sent to state</b> for submitters reporting in <b>GA, IN</b> and <b>NY</b>
295	<b>CAS</b>	Claim Level Adjustment	S	5		<b>Required</b> for submitters reporting in <b>GA, IN</b> and <b>NY</b>



LOOP ID - 2330A – Other Subscriber Name					1
325	NM1	Other Subscriber Name	S	1	Required if 2320 COB loop is used Sent to state for submitters reporting in GA, IN
332	N3	Other Subscriber Address	S	1	Sent to state for submitters reporting in GA, IN
340	N4	Other Subscriber City, State, Zip	S	1	Sent to state for submitters reporting in GA, IN
LOOP ID - 2330B – Other Payer Name					1
325	NM1	Other Payer Name	S	1	Sent to state for submitters reporting in GA, IN
455	DTP	Line Adjudication Date	S-R	1	Sent to state for submitters reporting in GA, IN and NY
LOOP ID - 2400 – Line Counter					50
365	LX	Line Number	R	1	Required for all states
370	SV1	Professional Service	R	1	To specify the claim service details
455	DTP	Service Date	R	1	Required for all states
555	SE	Transaction Set Trailer	M	1	SE02 must be unique and identical to ST02.

## ATTACHMENT A

### Glossary

Term	Definition
<b>HIPAA</b>	In 1996, Congress passed into federal law the Health Insurance Portability and Accountability Act (HIPAA) in order to improve the efficiency and effectiveness of the entire health care system. The provisions of HIPAA, which apply to health plans, healthcare providers, and healthcare clearinghouses, cover many areas of concern including, preventing fraud and abuse, preventing pre-existing condition exclusions in health care coverage, protecting patients' rights through privacy and security guidelines and mandating the use of a national standard for EDI transactions and codesets.
<b>SSL</b> <b>(Secure Sockets Layer)</b>	SSL is a commonly used protocol for managing the security of a message transmission through the Internet. SSL uses a program layer located between the HTTP and TCP layers. The "sockets" part of the term refers to the sockets method of passing data back and forth between a client and a server program in a network or between program layers in the same computer. SSL uses the public-and-private key encryption system from RSA, which also includes the use of a digital certificate.
<b>Secure FTP (SFTP)</b>	Secure FTP, as the name suggests, involves a number of optional security enhancements such as encrypting the payload or including message digests to validate the integrity of the transported files to name two examples. Secure FTP uses Port 21 and other Ports, including SSL.
<b>AUTH SSL</b>	AUTH SSL is the explicit means of implementing secure communications as defined in RFC 2228. AUTH SSL provides a secure means of transmitting files when used in conjunction with an FTP server and client that both support AUTH SSL.
<b>Required Segment</b>	A required segment is a segment mandated by HIPAA as mandatory for exchange between trading partners.
<b>Situational Segment</b>	A situational segment is a segment mandated by HIPAA as optional for exchange between trading partners.
<b>Required Data Element</b>	A mandatory data element is one that must be transmitted between trading partners with valid data.
<b>Situational Data Element</b>	A situational data element may be transmitted if data is available. If another data element in the same segment exists and follows the current element the character used for missing data should be entered.
<b>N/U (Not Used)</b>	An N/U (Not Used) data element included in the shaded areas if the Implementation Guide is NOT USED according to the standard and no attempt should be made to include these in transmissions.
<b>ATTENDING PROVIDER</b>	The primary individual provider who attended to the client/member during an in-patient hospital stay. Must be identified in 837I, Loop 2310A, REF02 Segment, by their assigned Medicaid/Medicare ID number assigned by State to the individual provider while the

Term	Definition
<b>BILLING PROVIDER</b>	client was in-patient. The Billing Provider entity may be a health care provider, a billing service, or some other representative of the provider. For Encounter Data reporting, the Billing Provider identified in Loop 2010AA, REF02 segment is the State Medicaid/Medicare ID number assigned by State. This is the primary identifier to distinguish all Lines of business
<b>ENCOUNTER</b>	WellCare defines an encounter as a single medical service <u>or</u> a period of examination <u>or</u> treatment provided to a state Medicaid/Medicare enrollee. State requires WellCare to report all health care services delivered to their managed care enrollees as encounter data transactions.
<b>ENCOUNTER DATA TRANSACTION (EDT)</b>	The term EDT refers to the electronic files created from the claims payment system in the ANSI ASC X12N 837 format.
<b>IMPLEMENTATION GUIDE (IG)</b>	Instructions for developing the standard ANSI ASC X12N Health Care Claim/Encounter 837 transaction sets. The Implementation Guides are available from the Washington Publishing Company.
<b>PAY-TO-PROVIDER</b>	For Encounter Data reporting, the Pay-to-Provider in Loop 2010AB, REF02 Segment is the State assigned Medicaid/Medicare ID number of the healthcare provider that was paid by WellCare. This could be a medical group, clinic, hospital, other institution, or the individual provider who rendered the service.
<b>REFERRING PROVIDER</b>	Identifies the individual provider who referred the client or prescribed Ancillary services/items such as Lab, Radiology and Durable Medical Equipment (DME). Report this provider in Loop 2310A, REF02 Segment using the Medicaid/Medicare ID number assigned by State to the referring provider.
<b>RENDERING PROVIDER</b>	The primary individual provider who attended to the client/member. They must be identified in 83P, Loop 2310B, REF02 Segment, use the Medicaid/Medicare ID number assigned by State to the individual provider while the client was in active status.
<b>TRADING PARTNERS (TPs)</b>	Includes all of the following; payers, switch vendors, software vendors, providers, billing agents, clearinghouses
<b>DATE FORMAT</b>	All dates are eight (8) character dates in the format CCYYMMDD. The only date data element that varies from the above standard is the Interchange Date data element located in the ISA segment. The Interchange Data date element is a six (6) character date in the YYMMDD format.
<b>DELIMITERS</b>	A delimiter is a character used to separate two (2) data elements or sub-elements, or to terminate a segment. Delimiters are specified in the interchange header segment, ISA The ISA segment is a 105 byte fixed length record. The data element separator is byte number 4; the component element separator is byte number 105; and the segment terminator is the byte that immediately follows the component element separator. Once specified in the interchange header, delimiters are not to be used in a data element value elsewhere in the transaction. The following characters are used as data delimiters for all transaction segments:



Term	Definition	
	<b>CHARACTER</b>	<b>PURPOSE</b>
	* Asterisk	Data Element Separator
	: COLON	Sub-Element Separator
	~ Tilde	Segment Terminator

## ATTACHMENT B

### File Example

```

ISA*00*          *00*
*ZZ*123456789012345*ZZ*123456789012346*020502*1758*U*00401*001000019*0*T*:
GS*HC*1234567890*1234567890*20020502*1758*20019*X*004010X098A1~
ST*837*872501~
BHT*0019*00*0125*19970411*1524*RP~
REF*87*004010X098~
NM1*41*2*FERMANN HAND & FOOT CLINIC*****46*591PD123~
PER*IC*JAN FOOT*TE*8156667777~
NM1*40*2*HEISMAN INSURANCE COMPANY*****46*555667777~
HL*1**20*1~NM1*85*2*FERMANN HAND & FOOT CLINIC*****XX*591PD123~
N3*10 1/2 SHOEMAKER STREET~
N4*COBBLER*CA*99997~
REF*EI*579999999~HL*2*1*22*1~
SBR*P*****AM~
NM1*IL*1*HOWLING*HAL***MI*B99977791G~
NM1*PR*2*HEISMAN INSURANCE COMPANY*****XV*999888777~
N3*1 TROPHY LANE~
N4*NYAC*NY*10032~HL*3*2*23*0~
PAT*41~
NM1*QC*1*DIMPSON*DJ****34*567324788~
N3*32 BUFFALO RUN~
N4*ROCKING HORSE*CA*99666~
DMG*D8*19480601*M~
REF*Y4*32323232~
CLM*900000032*185***11::1*Y*A*Y*Y*B*AA~
DTP*439*D8*19940617~
HI*BK:8842~
NM1*82*1*MOGLIE*BRUNO****XX*687AB861~
PRV*PE*ZZ*203BE004Y~
NM1*77*2*FERMANN HAND & FOOT CLINIC*****XX*591PD123~
N3*10 1/2 SHOEMAKER STREET~
N4*COBBLER*CA*99997~
LX*1~SV1*HC:99201*150*UN*1***1**Y~
DTP*472*D8*19940620~
LX*2~SV1*HC:26010*35*UN*1***1**Y~
DTP*472*D8*19940620~
SE*39*872501~
GE*1*20019
IEA*1*001000019
  
```

## ATTACHMENT C

### 997 Interpretation

The examples below show an accepted and a rejected X12 N 997. On the WellCare sftp site in the respective Provider directory the X12N 997 files, when opened, will display as one complete string without carriage returns or line feeds.

#### Accepted 997

```
ISA*00*00*5265*ZZ*100000*ZZ*100008  
*050923*1126*U*00401*000000166*1*T*~GS*FA*77046*100008*20031023*112600*1660001  
*X*004010X098A1~ST*997*0001~AK1*HC*19990000~AK2*837*TEST~AK5*A~AK9*A*1*1*1~  
SE*6*0001~GE*1*1660001~IEA*1*000000166~
```

#### Rejected 997

```
ISA*00*00*5264*ZZ*100000*ZZ*100008  
*050923*1124*U*00401*000000165*1*T*~GS*FA*77046*100008*20031023*112400*1650001  
*X*004010X098A1~ST*997*0001~AK1*HC*19990000~AK2*837*TEST~AK5*R*7~AK9*R*1*1*1*  
0~SE*6*0001~GE*1*1650001~IEA*1*000000165~
```